NPA REQUIRES A MINIMUM OF <u>48 HOURS</u> NOTICE *EXCLUDING WEEKENDS, HOLIDAYS OR STATS* TO RECEIVE AND REVIEW ALL DOCUMENTATION FOR APPROVAL. WRITTEN APPROVAL MUST BE GRANTED PRIOR TO ANY WORK OR USE OF NPA FACILITIES.

APPLICANT MAIN CONTACT:		
NAME:	PHONE #	
E-MAIL:		
REQUESTING COMPANY NAME:	WCB #	
ANTICIPATED START DATE AND TIME		
ANTICIPATED STOP DATE AND TIME		
CARGO DESCRIPTION	<u>VOLUME</u>	
*CARGO TONNAGE IN METRIC TONNES (Required)		
DESCRIPTION OF OPERATIONS & SUBCONTRACTORS F		
SITE SAFETY MEETING		
PORT OF NANAIMO ATTENDEES:	DATE:	
REQUESTING COMPANY ATTENDEES:	DATE:	

TUG/BARGE COMPANY PARTICULARS:

RADIO COMMUNICATION MUST BE MADE WITH THE BARGE RAMP OPERATORS PRIOR TO BERTHING AT DUKE POINT BARGE RAMP. RAMP FACILITY WILL STANDBY ON VHF 18A.

COMPANY NAME:			
CONTACT NAME:			
TUG/BARGE PARTICULARS:			
TUG NAME:		BARGE NAM	ИE:
TUG OWNER:		BARGE OW	NER:
BARGE SPECIFICS:	(FOR BARGE RAMP USE ONLY)		
Minimum Allowance	Visiting Vessel	Maximum A	llowance
51M		87.2M	Length
14.5M		23.2M	Breadth
3.3M		5.5M	Depth
1.5M		1.5M	Min Freeboard
3.3M		4.5M	Max Freeboard
2,000T		8,000T	Loaded Displacement
Is the barge in Class?		☐ YES	□ NO
If yes – what Classification Society			

*Note: Approach velocity of vessels of 0.1 meters/second Barge Ramp Max Capacity of 100 metric tonnes

REQUESTING COMPANY ACKNOWLEDGES RECEIPT OF THE FOLLOWING PORT OF NANAIMO DOCUMENTS & WILL COMPLY WITH ALL REQUIREMENTS

		Initial
•	Rules & Regulations for Marine Terminals https://npa.ca/harbour-operations/policies-procedures/rule	es-regulations-for-marine-terminals
	☐ Read & Understood	
•	Tariff for Marine Operations https://npa.ca/harbour-operations/fees-tariffs-permits-schools	edule/handling-rates-tariffs/
	☐ Read & Understood	
•	Emergency Contact List for Land & Marine Response (Attachment)	
REQU	ESTING COMPANY SUPPLIES TO PORT OF NANA	AIMO
		Initial
•	Environmental Emergency Response Plan	
•	Emergency Contact List	
•	Cargo Manifest (Please Include MSDS where applicable)	
•	Operations Plan	

DUKE POINT ROLL-ON/ROLL-OFF BARGE RAMP APPLICATION

GENERAL OPERATIONS

			Company Initial
*		arrival 10 feet of clean deck space is required on incoming parges for ramp placement.	
•	Со	mply with Harbour Master's Requirements as follows:	
	a)	Barge specifications to be approved by Harbour Master's Office.	
	b)	In the moored final position, the barges shall rest against the float and Have ramp deck pass full surface area on barge deck.	
	c)	Barge to provide a minimum of two head and two springs, under even tension.	
	d)	In some circumstances a tug or tugs may be required to stand by the barge. The tug(s) must be of sufficient bollard pull to hold the barge in place in the expected weather conditions.	
	e)	Nothing in these procedures relieves the requesting company from obligations for safety or from following additional precautions as would be required by the normal practice of seamen.	
	f)	These procedures are to be considered the minimum requirements.	
•	Со	mply with posted signage at all times.	
•	Truck & all other equipment will be secured & materials properly contained while transiting Port property, including ramp structure & lands.		
•	All personnel on barge & land will wear PPE as required		
•	Life vest over the water, steel toed boots, Hi Vis vest & hard hat at all times while on the property.		
•	Confirm Spill Kits on site and readily available.		
•		mpany supplies properly certified operators & ntractors.	
•	For do	rge rake(s) will remain level at all times during operations. re and aft maximum barge ramp upright position 5° and maximum wn position 10° from level. cessive barge list may cause serious personal injury or damage to facility.	

For further clarification consult with Barge Ramp Operators.

GENERAL OPERATIONS Cont'd

		Company Initial
•	Emergency supplies container supplied by Port of Nanaimo onsite contains spill kit, containment boom, spare lines & digital level. Consult Barge Ramp Operators prior to use.	
•	Vehicles transiting the barge ramp will do so one vehicle at a time, ensuring vehicle is centred on the ramp and apron structures.	-
•	Any vehicle loaded or otherwise exceeding standard highway permissible weights (including permitted) will consult with Port of Nanaimo prior to facility	

*Note:

- Port of Nanaimo supplied Barge Ramp Operators are radio licensed for tug/barge communications.
- Port of Nanaimo supplied Barge Ramp Operators to handle lines and ramp functions.

Note: Any concerns with respect to lines or ramp integrity, please contact the Primary Barge Ramp Operator, if absent, Secondary Barge Ramp Operator as per the attached Port of Nanaimo contact list.

By signing this Barge Ramp Application form the authorized signatory is agreeing to any and all charges including costs, expenses or fees arising due to non-compliance of the terms of use, by the applicant or their sub-contractor(s).

-			
-			
-			
-			
-			
NPA AUTHORIZED SIGNATORY			

NANAIMO PORT AUTHORITY DUKE POINT BARGE RAMP OPERATIONS CONTACT LIST JANUARY 16, 2024

DUKE POINT TERMINAL

CONTACT	POSITION	CELL PHONE	EMAIL
CAPT. SATINDER SINGH	VICE PRESIDENT, MARINE OPERATIONS & HARBOUR MASTER	250-616-1850	ssingh@npa.ca
ROD GROUNDS	MANAGER OF MARINE OPERATIONS & DEPUTY HARBOUR MASTER	250-729-1198	rgrounds@npa.ca
DAN VIRCIK	OFFICER IN CHARGE	250-714-1581	dvircik@npa.ca
KYLEE BAKER	MANAGER, HEALTH, SAFETY & ENVIRONMENTAL	250-616-4026	kbaker@npa.ca
ROY BURNS	PRIMARY BARGE RAMP OPERATOR	250-816-4218	N/A
KNUT LEINE	SECONDARY BARGE RAMP OPERATOR	250-715-6723	N/A
RANDY GANDERTON		250-619-1978	N/A
EMERGENCY PAGER		778-762-3443	